

Adapters and Baseframes



Vehicle Manufacturer Model	official type designation	Manufactured	Remarks	height/adjustment removed	Resistor-wire included	Order-No.:	RECARO Seats											Remarks
							left / right	Sportster CS	Sportster CS SAB	Style / Style XL	Sport Sportline Topline	Sport Trendline	Performance ABE	Expert, Specialist	SR / Speed	Dinopad 195 / 04	Class Speed	
Alfa Romeo																		
147						86.73.16/26		•	•	•	•	•	•	•	•			
156			13	•	V	86.38.16/26	•	•	•	•	•	•	•	•	•			
Audi																		
A2				•	•	86.66.16/26		•	•	•	•	•	•	•	•			
A3 / S3	8L	bis / until 4/03	12.13	•	•	86.15.17/27	•	•	•	•	•	•	•	•	•			
A3 / S3 / Sportback	8P	ab / from 5/03	9,12,13	•	•	86.83.16/26	•	•	•	•	•	•	•	•	•			
A4 / RS4		2/95 - 7/99	1.13	•	•	85.94.17/27		•	•	•	•	•	•	•	14			
A4 / RS4		8/99 - 11/00	1.13	•	•	85.94.17/27		•	•	•	•	•	•	•				
A4, Avant, Cabrio (man. or el. length adjustment)	8E	ab / from 12/00	9.13	•	•	86.69.16/26		•	•	•	•	•	•	•				
A4, Avant, Cabrio (electrical length adjustment)	8E	12/00 - 5/03	6.9,13	•	•	68.76.19/29		•	•	•	•	•	•	•				
A4, Avant, Cabrio (plus add. electr. Audi A4-runner)	8E	ab / from 6/03	6.9,13	•	•	68.76.19/29		•	•	•	•	•	•	•	•	add. Runner from Audi A4 required		
A6		bis / until 3/97	1.13	•	V	85.80.17/27		•	•	•	•	•	•	•				
A6, -Avant, -Allroad	4B	4/97 - 4/04	12.13	•	•	86.23.17/27		•	•	•	•	•	•	•				

Vehicle Manufacturer Model	official type designation	Manufactured	Remarks	heightadjustment removed	Resistor-wire included	Order-No.: left / right	RECARO Seats											Remarks
							Sportster CS	Sportster CS SAB	Style / Style XL	Sport Spornline/Topline	Sport Trendline	FootPosition / BE	Expert. Specialist	SR / Speed	Optimad 35 / 04	Cross Speed	Ergonomid E / ES	
A6, A6 Allroad (manual or electr. length adjustment)	4F	ab / from 5/04	9,13	●	●	86.69.16/26	●	●	●	●	●	●	●	●	●	●	14	14
A6, Avant, Allroad (plus add. electr. Audi A4-runner)	4F	ab / from 5/04	6,9,13	●	●	86.76.19/29	●	●	●	●	●	●	●	●	●	●	14	14
TT		bis / until 5/06	9,13	●	●	86.26.16/26	●	●	●	●	●	●	●	●	●	●	●	●
TT		ab / from 6/06	9,13	●	●	86.84.16/26	●	●	●	●	●	●	●	●	●	●	●	●
BMW																		
116i - 120d (E87)			9	●	●	68.89.19/29			●	●	●	●	●	●	●	●	17	17
316 - 323i (E 30), M 3		12/82 - 8/85	2	●	●	67.54.09/09			●	●	●	●	●	●	●	●	●	●
316 - 325i (E 30), M 3		9/85 - 11/90	2	●	●	67.70.09/09			●	●	●	●	●	●	●	●	●	●
316 - 325, only E 36 (lower seatposition)				●	●	86.20.16/26	●										3	17
316 - 330, only E 46, M3, not Cabrio			9,16	●	●	86.49.16/26A											14	14
Spacer Bracket for E 46, dist.: 20mm						373864	●										●	●
Spacer Bracket for E 46, dist.: 40mm						373865	●										●	●
318i - 330ff (E90 / E91 / E92)			9,12	●	●	68.89.19/29											17	17
Spacer Bracket for E 87 / E 90 / E91 / E92, dist.: 20mm						373941	●										●	●
518 - 535 (E 28)		8/79 - 12/87				67.55.09/09											●	●
520i - 535i, only E 34			4	●	●	67.81.19/29											●	●
520i - 535i, only E 34			4	●	●	68.44.19/29	●										●	●
Cover for 67.81.19/29 with electr. heightadjustment						4/562441											●	●
520i - 540i, only E 39			4,9,16	●	●	86.04.16A/26A	●				10	10	●	●	●	●	●	●
Spacer Bracket for E 38 / E 39, dist.: 20mm						371190	●										●	●
Spacer Bracket for E 38 / E 39, dist.: 40mm						371188	●										●	●
Cabel for BMW E 38 / E 39 with Memory		bis / until 3/00				7201101	●										●	●
520i - 545i el. Seatlength adjustm., only E 60/E61	560L		4,6,9	●	●	68.86.19/29					10	10	●	●	●	●	●	●
520i - 545i man. Seatlength adjustm., only E 60/E61	560L		4,9	●	●	68.88.19/29	●				10	10	●	●	●	●	●	●
730i - 750iL, only E 32		9/86 - 5/94	4	●	●	67.81.19/29											●	●
730i - 750iL, only E 32		9/86 - 5/94	4	●	●	68.44.19/29	●										●	●
728 - 750i, only E 38		6/94 - 11/01	4,9	●	●	86.04.16A/26A	●				10	10	●	●	●	●	●	●
Mini (not Rover version = "old" Mini, not Cabrio)	R50, R52, R53	12/01 - 11/06	2,9	●	U	68.83.19/29											●	●
X3, only with beltholder 7213433.1/2			9,16	●	●	86.49.16A/26A	●										14	14
Beltholder			15	●	●	7213433.1/2	●										14	14
X 5	X53		9	●	●	86.67.16/26	●										●	●
Chrysler																		
Voyager SE (only manual lengthadjustment)		1/96 - 3/01		●	●	86.07.16/26	●										●	●
Spacer Bracket for Gr. Cherokee, dist.: 20mm		bis / until 8/95	6	●	●	374468	●										●	●
Ferrari																		
360 (Modena und Spider)			15	●	●	86.98.06/06											●	●
F 430				●	●	86.98.06/06											●	●
Fiat																		
Bravo / Brava			13	●	V	86.21.16/26	●										●	●
Ducato		bis / until 3/94				67.80.09/09											●	●
Ducato (only driver's seat)		bis / until 5/06				68.36.09/09	●										●	●
Marea			13	●	V	86.21.16/26	●										●	●
Punto (Cabrio not possible)		bis / until 9/99	5	●		85.88.16/26	●										●	●
Punto		10/99 - 9/03	13	●	U	86.73.16/26	●										●	●
Grande Punto	199			●	●	68.94.19/29	●	●									●	●
Scudo		bis / until 2/04	11	●	●	68.61.19/29			11	11	11	●	●	●	●	●	●	●
Ulysse (with rotary base)		bis / until 12/02		●	●	68.37.19/29											●	●
Ulysse (without rotary base)		bis / until 12/02		●	●	68.60.09/09											●	●
Ford																		
Cougar			13	●	●	86.51.16A/26A	●										●	●
Escort		ab / from 2/95	2	●	●	86.60.16/26	●										3	3
Escort Cosworth						67.50.09/09											●	●
Fiesta		2/89 - 1/94				85.59.06/06											●	●
Fiesta		12/95 - 4/02	13	●	FF	86.60.16/26	●										●	●
Fiesta	JH1	ab / from 5/02	13	●	●	86.86.16/26	●										●	●
Spacer bracket, Fiesta from 05/02, Focus from 10/04 (20mm)						373864	●										●	●
Spacer bracket, Fiesta from 05/02, Focus from 10/04 (40mm)						373865	●										●	●
Focus		bis / until 9/04	13	●	●	86.57.16/26	●										●	●

Vehicle Manufacturer Model	official type designation	Manufactured	Remarks	heightadjustment removed	Resistor-wire included	Order-No.: left / right	RECARO Seats											Remarks
							Sportster CS	Sportster CS SAB	Style / Style XL	Sport Sportster/Topline	Sport Trendline	FootPosition ABE	Expert, Specialist	SR / Speed	Chinpad '95 / '04	Cross Speed	Ergonom E / ES	
200 - 280 (W 123)		77 - 12/84				85.40.19/29	•	•	•	•	•	•	•	•	•	•		
200 - 500 (W 124) manual heightadjustment		ab / from 1/85				85.52.09/09												
200 - 500 (W 124) manual heightadjustment		ab / from 1/85				68.43.19/29	•	•	•	•	•	•	•	•	•	•		
200 - 500 (W 124) without / el. heightadjustment		ab / from 5/85				85.51.09/09	•	•	•	•	•	•	•	•	•	•		
280 S - 560 SEC (W 116/126)		77 - 7/91				85.40.19/29												
G-Class		bis / until 12/90				12.26.06/06												
G-Class (only 2-door car)		1/91 - 12/92				12.76.06/06												
G-Class (only 4-door car)		1/91 - 1/01		•		12.76.06/06												
G-Class		ab / from 2/01	9	•		68.73.19/29	•	•	•	•	•	•	•	•	•	•		Spacer according W203
Cover for G-Class		ab / from 2/01				7204960.1/2	•	•	•	•	•	•	•	•	•	•		
Sprinter (only without suspension system)		bis / until 4/06		•		68.71.19/29												
Sprinter (only without suspension system)		ab / from 5/06	13	•	U	86.99.16/26	•	•	•	•	•	•	•	•	•	•		only without side-airbag
R-Class		ab / from 06				68.84.19A/29A		•										
V-Class / Vito (only without rotary base)		bis / until 8/03	9	•		68.54.19/29	•	•	•	•	•	•	•	•	•	•		
Vito / Viano		ab / from 9/03	9	•	•	68.93.19/29	•	•	•	•	•	•	•	•	•	•	17	17
Mitsubishi																		
Carisma			13	•	U	86.59.16/26	•	•	•	•	•	•	•	•	•	•		
Colt/Lancer		3/92 - 8/03	13	•	U	86.11.16/26	•	•	•	•	•	•	•	•	•	•		
Evolution VI (ABE not possible)				•		86.62.16/26	•	•	•	•	•	•	•	•	•	•		
Galant		3/93 - 2/97		•		85.85.16/26	•	•	•	•	•	•	•	•	•	•		
Galant, only with beltholder 7202420.1/2		ab / from 3/97		•		85.85.16/26	•	•	•	•	•	•	•	•	•	•		
Belt Holder		ab / from 3/97				7202420.1/2	•	•	•	•	•	•	•	•	•	•		
L 200		10/96 - 2/06		•		86.37.16/26												
Pajero Sport		bis / until 12/01		•		86.37.16/26												
Pajero (easy entry available)		1/97 - 4/00	12			68.62.19/29												
Cover for Pajero (needed for safety)		1/97 - 4/00				7300488.1/2												
Cover for Pajero (needed for safety)		1/97 - 4/00				7300489.1/2												
Pajero (not V20 and Pinin)		ab / from 5/00		•		86.80.16/26		•	•	•	•	•	•	•	•	•		
Nissan																		
Almera (not Tino)		ab / from 4/00	13	•	U	86.68.16/26												
Pickup (King Cab)		9/85 - 2/98				67.85.19/29												
Primera		bis / until 8/96		•		85.89.16/26	•	•	•	•	•	•	•	•	•	•		
Primera		9/96 - 3/02		•		86.24.16/26	•	•	•	•	•	•	•	•	•	•		
Terrano (not for Terrano II)			2			67.85.19/29												Typ W021, WYD21
Opel																		
Astra, without heightadjustment		11/91 - 3/98				68.41.09/09	•	•	•	•	•	•	•	•	•	•		
Astra, with heightadjustment		11/91 - 3/98				67.84.09/09												
Astra 2-door car (model G and H)	T98	ab / from 4/98	13	•	•	86.44.16/26	•	•	•	•	•	•	•	•	•	•		*Astra H: Remark 15 - U
Astra 4-door car (model G and H)		ab / from 4/98	13	•	•	86.33.16/26												*Astra H: Remark 15 - U
Astra 4-door car (model G and H)	T98NB, T98, T98Kombi	ab / from 4/98	13	•	•	86.47.16/26	•	•	•	•	•	•	•	•	•	•		*Astra H: Remark 15 - U
Astra Coupé (model G and H)	T98C	ab / from 4/98	13	•	•	86.44.16/26	•	•	•	•	•	•	•	•	•	•		*Astra H: Remark 15 - U
Corsa B, with heightadjustment		3/93 - 9/00	13		O	67.84.09/09												
Corsa B, without heightadjustment		3/93 - 9/00	13		O	68.03.09/09												
Corsa C		ab / from 10/00	13	•	U	86.71.16A/26A	•	•	•	•	•	•	•	•	•	•		
Frontera, only with heightadjustment		ab / from 10/98	2			68.72.19/29												
Kadett E / Ascona, without heightadjustment		ab / from 9/84				68.41.09/09	•	•	•	•	•	•	•	•	•	•		
Kadett E / Ascona, with heightadjustment		ab / from 9/84				67.84.09/09												
Meriva	X01MONOCAB	ab / from 09/04	13	•	U	86.71.16A/26A	•	•	•	•	•	•	•	•	•	•		
Omega		ab / from 4/94	12,13	•	•	86.35.16/26	•	•	•	•	•	•	•	•	•	•		
Signum (manual length adjustment)	Vectra/Car, Z-C/S		13	•	•	68.82.19/29	•	•	•	•	•	•	•	•	•	•		17 17
Signum (electric length adjustment)			13	•	•	68.87.19/29	•	•	•	•	•	•	•	•	•	•		17 17
Vectra, without heightadjustment	Vectra-A	9/88 - 9/95				68.41.09/09	•	•	•	•	•	•	•	•	•	•		
Vectra, with heightadjustment	Vectra-A-X	9/88 - 9/95				67.84.09/09												
Vectra-B	J96, J96/Kombi	8/97 - 3/02	13	•	•	86.33.16/26												
Vectra-B	J96, J96/Kombi	8/97 - 3/02	13	•	•	86.47.16/26	•	•	•	•	•	•	•	•	•	•		
spacer bracket for Astra, Corsa, Vectra, Omega, Zafira (20 mm)						373864	•	•	•	•	•	•	•	•	•	•		
spacer bracket for Astra, Corsa, Vectra, Omega, Zafira (40 mm)						373865	•	•	•	•	•	•	•	•	•	•		
Vectra (manual length adjustment)	VECTRALM, Z-C, VECTRASW, Z-OSW	ab / from 4/02	13	•	•	68.82.19/29	•	•	•	•	•	•	•	•	•	•		17 17

Vehicle Manufacturer Model	official type designation	Manufactured	Remarks	heightadjustment removed	Resistor-wire included	Order-No.: left / right	RECARO Seats											Remarks	
							Sportster CS	Sportster CS SAB	Style / Style XL	Sport Sportline/Topline	Sport Trendline	Performance ABE	Expert, Specialist	SR / Speed	Chopard '95 / '04	Cross Speed	Ergonomat E / ES		Ergonomat E / ES SAB
Crafter			13	●	U	86.99.16/26	●	●	●	●	●	●	●	●	●	●	●	●	only without side-airbag
Fox			13	●	●	68.75.19A/29A	●	●	●	●	●	●	●	●	●	●	●	●	17
Golf / Jetta		8/78 - 8/89		●		85.14.17/27	●	●	●	●	●	●	●	●	●	●	●	●	8
Golf Cabrio (155)		8/78 - 2/93		●		85.14.17/27	●	●	●	●	●	●	●	●	●	●	●	●	8
Golf / Jetta		9/89 - 8/91		●		85.64.17/27	●	●	●	●	●	●	●	●	●	●	●	●	8
Golf 3 / Vento / Variant			13	●	V	85.78.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Golf 3 / Vento / Variant (lower seatposition)			8.13	●	V	86.18.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Golf 3 Cabrio (1EXO)			13	●	V	85.78.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Golf 4 / Bora / Variant	1J		12.13	●	●	86.15.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Golf 5 / Jetta / Golf Plus / Cross Golf / Variant	1K, 1KM, 1KP		9,12,13,19	●	●	86.84.16/26	●	●	●	●	●	●	●	●	●	●	●	●	Spacer bracket 373864
Beetle 1200, 1300, 1303, 1400, Mexico Beetle		ab / from 8/72		●		67.17.06/06	●	●	●	●	●	●	●	●	●	●	●	●	
LT (only without suspension system)		6/96 - 4/06		●		68.71.19/29	●	●	●	●	●	●	●	●	●	●	●	●	
Lupo (not for 3L TDI, FSI)			12.13	●	●	86.31.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Spacer bracket for Lupo, dist.: 20mm						373941	●	●	●	●	●	●	●	●	●	●	●	●	
New Beetle	9C	ab / from 10/96	2,12,13	●	●	86.15.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Passat		3/88 - 8/93		●		85.78.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Passat		9/93 - 9/96		●		85.78.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Passat (lower seatposition)		9/91 - 9/96	8	●		86.18.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Passat / Combi	3BG	10/96 - 2/05	12.13	●	●	86.23.17/27	●	●	●	●	●	●	●	●	●	●	●	●	14
Passat / Variant	3C	ab / from 3/05	9,12,13	●	●	86.84.16/26	●	●	●	●	●	●	●	●	●	●	●	●	Remark 19
Passat Variant		9/93 - 2/97		●		85.78.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Passat Variant (lower seatposition)		9/93 - 2/97	8	●		86.18.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Passat Variant	3B	3/97 - 8/05	12,13	●	●	86.23.17/27	●	●	●	●	●	●	●	●	●	●	●	●	14
Polo / Derby		8/78 - 9/94	2	●		85.15.17/27	●	●	5	5	●	5	5	●	●	●	●	●	
Polo / Polo Classic / Caddy		10/94 - 10/01		●		85.78.17/27	●	●	●	●	●	●	●	●	●	●	●	●	Remark 18
Polo / Polo Classic (lower seatposition)		10/94 - 10/01	8	●		86.18.17/27	●	●	●	●	●	●	●	●	●	●	●	●	
Polo / Cross Polo	9N	ab / from 11/01	13	●	●	68.75.19A/29A	●	●	●	●	●	●	●	●	●	●	●	●	17
spacer bracket for 68.75.19A/29A (20 mm)						374468	●	●	●	●	●	●	●	●	●	●	●	●	
Santana						85.20.17/27	●	●	●	●	●	●	●	●	●	●	●	●	8
Sharan, only with rotary base	7M	9/95 - 3/02	13	●	U	68.53.19/29	●	●	●	●	●	●	●	●	●	●	●	●	
Sharan, without rotary b., with heightadjustment	7M	9/95 - 3/02	13	●	U	68.56.09/09	●	●	●	●	●	●	●	●	●	●	●	●	
Sharan, only with rotary base	7M	ab / from 4/02	13	●	U	68.78.19/29	●	●	●	●	●	●	●	●	●	●	●	●	
Sharan, without rotary b., with heightadjustment	7M	ab / from 4/02	13	●	U	68.79.09/09	●	●	●	●	●	●	●	●	●	●	●	●	
Touareg			9,13	●	U	86.69.16/26	●	●	●	●	●	●	●	●	●	●	●	●	
Touareg (el. length adjustm.)			6,9,13	●	U	68.76.19/29	●	●	●	●	●	●	●	●	●	●	●	●	
Touran	1T		9,12,13	●	●	86.83.16/26	●	●	●	●	●	●	●	●	●	●	●	●	
spacer bracket for 86.15.17/27, 86.23.17/27, 68.75.19A/29A (20 mm)						373941	●	●	●	●	●	●	●	●	●	●	●	●	
spacer bracket for 86.15.17/27, 86.23.17/27, 68.75.19A/29A (40 mm)						373942	●	●	●	●	●	●	●	●	●	●	●	●	

Vehicle Manufacturer Model	official type designation	Manufactured	Remarks	height/adjustment removed	Resistor-wire included	Order-No.:	RECARO Seats												Remarks
							left / right	Sportster CS	Sportster CS SAB	Style / Style XL	Sport Sportline/Topline	Sport Trendline	PolePosition/ABE	Expert, Specialist	SR / Speed	Offroad*95 / 04	Cross Speed	Ergomed E / ES	
Resistor-wires																			
Resistor-wire for VW / Audi / Alfa Romeo / Fiat		bis / until 5/03				7202121	•	•	•	•	•	•	•	•	•				
Resistor-wire for Opel side airbag (Astra G, Vectra B, Corsa B)						375233	•	•	•	•	•	•	•	•	•				
Resistor-wire for Ford Mondeo side airbag		bis / until 10/00				7201026	•	•	•	•	•	•	•	•	•				
						7202215	•	•	•	•	•	•	•	•	•				
Universal resistor-wire* / Mountingkit for the Sideairbag-Seat						7201710	•	•	•	•	•	•	•	•	•				
															with capacitor				
Double locking runners for left and right hand use																			
Double locking runners with angle - bow inside						360943	•	•	•	•	•	•	•	•	•				
Double locking runners with angle - bow outside						360205	•	•	•	•	•	•	•	•	•				
Double locking runners without angle fit. - bow inside						364954	•	•	•	•	•	•	•	•	•				
Double locking runners without angle fit. - bow outside						369603	•	•	•	•	•	•	•	•	•				
Baseframe mounting kit incl. double locking runners						11.22.06/06	•	•	•	•	•	•	•	•	•				
Electr. 6-way-adjuster for specially modified design						7201440A	•	•	•	•	•	•	•	•	•				

WARNING:

- Please take customers height into consideration and use spacers if necessary
- Due to safety reasons RECARO strongly recommends professional installation.

NOTES:

- 1) No installation possible with serial electrical seat longitudinal adjustment.
- 2) In 2 door vehicles only one seat installable (Easy Entry)
- 3) Mount only seats with electric backrest adjustment.
- 4) Production seat with memory alteration available on request.
- 5) Installation only possible in vehicles without serial seat height adjustment.
- 6) Installation only possible in vehicles with serial seat height adjustment.
- 7) Armrest tunnel-sided only in 4-door vehicles.
- 8) Mount seat only in the central hole angle.
- 9) RECARO passenger seat installation only on request - reason: SBE-mat in the original seat.
- 10) Spacers for height adjustment recommended for seats without height setting.
- 11) Use passenger seat on driver side respectively use drivers seat on passenger side.
- 12) Possibly existent electrical seat adjustment drops in favor of manual adjustment.
- 13) Side air bag is inapplicable with the installation of the RECARO seat.
- 14) Limited seat adjustments in first position due to seat width.
- 16) Spacers for seat height adjustment are enclosed (optional use)
- 17) Only with 20 mm spacer (please order separately)
- 19) Ergomed D/E only with 20mm spacers (373864).

- FF) This console is not coming with a SAB - connector. Vehicles with side air bag need to order SAB - connector for Ford Focus / Fiesta / Puma.
 FM) This console is not coming with a SAB - connector. Vehicles with side air bag need to order SAB - connector for Ford Mondeo (Modell until 10/00).
 O) This console is not coming with a SAB - connector. Vehicles with side air bag need to order SAB - connector for Opel.
 U) This console is not coming with a SAB - connector. Vehicles with side air bag need to order universal SAB - connector.
 V) This console is not coming with a SAB - connector. Vehicles with side air bag need to order SAB - connector for VW / Audi.